

Azmaherb (Syrup - Capsules)

Herbal product

Information for use. Please read carefully :

Composition:

Syrup:

The product is supplied as syrup for oral administration.

Each 5 ml (teaspoon) contains 150 mg of three natural ingredients:

Schizandra extract	45 mg.
Sorbus Aucuparia	30 mg.
Platycodon extract	75 mg.

Capsules:

Each capsule contains:

Schizandra extract	45 mg.
Sorbus Aucuparia	30 mg.
Platycodon extract	75 mg.

Mechanism of actions:

- Sorbus Aucuparia:

It has a concentration of vit. C, anti-oxidants and phenol products, it is useful in the mucous membranes inflammation and preventing the degenerative changes in chronic inflammation of high airways.

- Platycodon:

It has medium antibacterial activity and expanded effectiveness of the bronchus. It has mucolytic effects.

Uses:

Asthma, asthmatic attacks, dyspnea, Chronic obstructive pulmonary disease.

Contrauses:

Hypersensitivity to any parts of Azmaherb. Pregnancy as this product can stimulate uterine contractions.

Side-effects:

Rare, but patients may suffer from skin rash, drowsiness and gastric upsets. Inform your doctor if you have any of these side effects.

Precautions:

Azmaherb should be avoided by patients

with peptic ulcers, epilepsy, intracranial hypertension.

Uses:

Syrup:

- Children 1-6 years: take ½ teaspoon (2.5ml) twice per day.

- Children 6-12 years: take 1 teaspoon (5ml) twice per day.

- Children over age of 12 years: take 1 teaspoon (5 ml) three times per day.

Capsules:

- Adults and children over age of 12 years:

Take 2 capsules (300mg) 2-3 times per day.

Duration of application depends on the complaints.

Shelf-life:

The expiry date on shelf is printed on pack.

Azmaherb should not be used upon expiry date.

Storage:

Keep Azmaherb away from children.

Store in dark, cool and dry place.

Notice:

This product is safe and effective if it is used according to information above.

THIS IS A MEDICATION

- A medication is a product but unlike any other products.
- A medication is a product which affects your health, and its consumption contrary to instructions is dangerous for you.
- Follow strictly the physician's prescription, the method of use and the instructions of the pharmacist who sold the medication. The physician and the pharmacist are experts in medicine, its benefits and risks.
- Do not by yourself interrupt the period of treatment prescribed for you.
- Do not repeat the same prescription without consulting your physician.

KEEP THE MEDICATIONS OUT OF REACH OF CHILDREN

Council of Arab Health Ministers & Union of Arab Pharmacists



UGARIT PHARMACEUTICAL Co.
(Fanari & Partners) - Aleppo, Syria
under license of
Korea Pungang Pharmaceutical Co.



UGARIT PHARMA
www.ugaritpharma.com

أزماهرب (شراب - كبسول)

مستحضر نباتي

معلومات عن استخدام المستحضر. يرجى القراءة بعناية :

ارتفاع التوتر داخل القحف ولدى المرضى الذين يعانون من فرحات معدية .

التركيب :

الشراب :

المستحضر متوفر على شكل شراب للاستخدام الفموي حيث أن كل ملعقة (٥ مل) من شراب أزماهرب تحتوي على ١٥٠ ملغ من ثلاثة خلاصات نباتية وهي :

خلاصة نبات الشيز اندرا

٤٥ ملغ.

نبات السوربوس

٣٠ ملغ.

خلاصة نبات البلاتكودون

٧٥ ملغ.

الكبسول :

تحتوي كل كبسولة على:

خلاصة نبات الشيز اندرا

٤٥ ملغ.

نبات السوربوس

٣٠ ملغ.

خلاصة نبات البلاتكودون

٧٥ ملغ.

آلية التأثير :

- نبات السوربوس :

تحتوي هذه الخلاصة على فيتامين C وعلى العديد من المواد المضادة للأكسدة والمركبات الفينولية وقد أثبتت الدراسات فعالية هذه الخلاصة في المساعدة في حالات التهاب الأغشية المخاطية للطرق التنفسية العليا ومنع وتأخير حدوث تغيرات تنكسية في جدران الطرق التنفسية في حالات الالتهاب المزمنة .

- خلاصة نبات البلاتكودون :

فعالية مضادة للبكتريا متوسطة وفعالية موسعة للقنوات وله فعالية حالة للقشع .

الاستخدام :

للمساعدة في حالات الربو وهجمات الربو، ضيق التنفس، الانسداد الرئوي.

مضادات الاستخدام:

فرط الحساسية لأحد مكونات المستحضر، الحمل حيث أن المستحضر يزيد من التقلصات الرحمية .

التأثيرات الجانبية :

نادرة الحدوث ويمكن أن يسبب المستحضر طفح جلدي، اضطراب معدية، نعاس. أعلم الطبيب في حال حدوث تلك الأعراض .

التحذيرات :

يجب تجنب استخدام هذا المستحضر في حالات الصرع ،

طريقة الاستخدام :

الشراب :

- الأطفال من عمر ١ حتى ٦ سنوات: نصف ملعقة (٥ مل) مرتين يومياً .

- الأطفال من عمر ٦ حتى ١٢ سنة: ملعقة (٥ مل) مرتين يومياً .

- الأطفال فوق ١٢ سنة: ملعقة (٥ مل) ثلاث مرات يومياً .

الكبسول:

- البالغين والأطفال فوق ١٢ سنة:

٢ كبسولة (٣٠٠ ملغ) مرتين إلى ثلاثة مرات يومياً .

مدة العلاج تتعلق بالشكوى .

العمر على الرف :

فترة الفعالية لهذا المستحضر مدونة على العبوة الكرتونية وشريحة البليستر. يجب عدم استخدام المستحضر عند انتهاء الصلاحية.

التخزين :

يحفظ هذا المستحضر في مكان جاف مظلم وبارد بعيداً عن متناول الأطفال .

ملاحظة:

هذا المستحضر آمن وفعال إذا استخدم وفقاً للمعلومات المدونة أعلاه .

إن هذا الدواء

- الدواء مستحضر ولكن ليس كغذاء من المستحضرات .
- الدواء مستحضر يوزع على شكله ولهالة خلال التعليمات بعرضك للتفحص .
- البيع بقية وصفة الطبيب وطريقة الاستعمال المنصوص عليها وتعليمات الصيدلاني الذي صرفها لك .
- والتقليب والسدأالي هما الحيزان بالدواء وتلفه وضروه .
- لا تطلع مدة العلاج الممندة من تلقاء نفسك ولا تزد عليها بدون استشارة الطبيب .

لا تترك الأدوية أبداً في متناول أيدي الأطفال
مجلس وزراء الصحة العرب والاتحاد الصيدلاني العرب



شركة أوجاريت للصناعات الدوائية
(مصري وبنلجيا) - مكاتب بسورية
بتوزيع من شركة صاغ ألغ بسورية



Ugaritpharma
www.ugaritpharma.com